PRODUCT FICHE

gorenje



GTW641B

USP :

| Product group | Hob |
|----------------------------------|--|
| Knob shape | Ergonomic knobs |
| One-hand ignition device for hob | One-hand burner ignition brings extra comfort and easy control to your gas hob. To activate the gas burner simply press the knob down and rotate it to desired level with one hand while your other hand is free. Quick, simple, and efficient. |
| Wok burner | Wok double burner |
| Cast iron grid | The cast iron grids are extremely stable and resistant even to to the highest temperatures. |
| Pan support cross | |

Protected gas burners

Basic information :

| Product group | Gas hob |
|---|-----------------------------|
| Brand | Gorenje |
| Product name / Commercial code | GTW641B |
| Commercial code | 573211 |
| EAN code | 3838782004827 |
| Construction type | Built-in |
| Control type | Mechanical |
| Energy input | Gas |
| Total number of positions that can be used at the same time | 4 |
| Number of gas burners | 4 |
| Number of electric cooking zones | 0 |
| Number of electric plates | 0 |
| Number of radiant plates | 0 |
| Number of halogen plates | 0 |
| Number of induction plates | 0 |
| Number of electric warming zones | 0 |
| Location of control panel | Hob side |
| Gas type | G20/20 natural gas |
| Basic external material of hob surface | Gas on tempered glass |
| Hob color | Black |
| Hob frame material | N/A |
| Hob edges | N/A |
| Electrical connection rating | 0 W |
| Gas connection rating | 8650 W |
| Current | 0,0 A |
| Voltage | 220-240 V |
| Frequency | 50/60 Hz |
| Marks of conformity | CE006320,EAC,UA01220A |
| Length of electrical supply cord | 150 cm |
| Plug type | Schuko, supply cord 3 x 1.5 |
| Width of the product | 600 mm |
| Height of the product | 136 mm |
| Depth of the product | 520 mm |
| Width of the packed product | 680 mm |
| Height of the packed product | 157 mm |
| Depth of the packed product | 600 mm |
| | |

Gas hob 573211

| Min height of installation niche |
|----------------------------------|
| Max height of installation niche |
| Min width of installation niche |
| Max width of installation niche |
| Depth of installation niche |
| Net weight |
| Gross weight |
| Location of control panel |
| |

Features :

Short description of the product Automatic programmes Location of 1st heating element Type of 1st heating element Dimension of 1st heating element Power of 1st heating element Location of 2nd heating element Type of 2nd heating element Dimension of 2nd heating element Power of 2nd heating element Location of 3rd heating element Type of 3rd heating element Dimension of 3rd heating element Power of 3rd heating element Location of 4th heating element Type of 4th heating element Dimension of 4th heating element Power of 4th heating element Power on indicator Plate on indicator Type of regulation Type of lid Type of pan support Type of safety device for gas Ignition system Residual heat indicator Main on/off switch Accessories included Electronic timer

100 mm 0 mm 560 mm 0 mm 490 mm 15,3 kg 16,0 kg N/A

BG6BC-G0B - GTW641B - ESSENTI No Front left Double burner 123 mm 4050/0,0/0,0 W **Rear left** Standard burner 73,5 mm 1800/0,0/0,0 W Rear right Standard burner 73,5 mm 1800/0,0/0,0 W Front right Spare burner 53,7 mm 1000/0,0/0,0 W N/A 1 Stepless energy regulated None Cast iron Electromagnetic valve Yes N/A No Gas nozzles G30/G31-28-30/37 liquid gas No

