

## PRODUCT FICHE

# gorenje



## Kitchen hood 180931 DU5345W

### USP :

Operation indicator	✓
Number of speed positions	3
Number of lights	1
LED	Power saving LED lighting fixtures are highly energy-efficient, have a notably longer useful life and consume less power.
Illumination setting	On/off light switch
Number of filters	1
Washable grease filter	✓
Filter material	Aluminium
Washable grease filter	✓
Coal filter code (optional as separate purchase)	198056
Grease filter code	198064
Odour filter	Optional
Air flow by extraction version, step 1	99 m³/h
Maximum extraction rate by extraction operation	172 m³/h
Max. noise level	64 dB(A)re 1 pW
Power input/speed I	108 W
Power input/speed II	125 W
Power input/speed III	152 W
Sound pressure / speed I	51 dB(A)re 1 pW

### Basic information :

Product group	Kitchen hood
Decor panel options	N/A
Construction type	Built-in
Brand	Gorenje
Product name / Family	Kitchen hood
Commercial code	DU5345W
Internal article number	180931
EAN code	3838942396144
Color body	White
Material body	Painted steel
Typology	Classic
Installation type	Under cabinet
Motor location	Motor integrated in the hood
Operating mode	Convertible
Connection Rating	113 W
Current	10 A
Voltage	220-240 V
Frequenc	50 Hz
Approval certificates	CE
Length of electrical supply cord	150 cm
Height of product, without chimney	130 mm
Net weight	3,9 Kg
Gross weight	4,9 Kg
Width of the product	500 mm
Height of the product	130 mm
Depth of the product	485 mm
Width of the packed product	550 mm
Height of the packed product	180 mm
Depth of the packed product	545 mm
Air exhaust	Yes

### Features :

Remote control	N/A
Short description of the product	OK-003-DU5345W
Type of control	Mechanical
Type of manual control devices	Knobs

Number of motors	1
Total power of the motors	85 W
Number of speed settings	3
Boost position	No
Maximum output air extraction	172 m³/h
Maximum output recirculating air	162 m³/h
Illumination setting	ON/OFF
Number of lights	1
Type of lamps used	LED diode
Total power of the lamps	4 W
Max. noise level	64 dB(A) re 1 pW
Diameter of air outlet	120
No-return airflow flap	No
Grease filter material	Washable aluminium
Odour filter	No

### Energy label information / Performance :

Air flow at intensive or boost setting	N/A
Maximum Air flow	172 m³/h
Minimum air flow	99 m³/h
Total annual energy consumption	43,3 kWh/year
Energy efficiency class	C
Fluid Dynamic Efficiency class	F
Grease filtering efficiency class	D
Lighting efficiency	D
Noise level with boost position	N/A
Sound power at max. speed	64 dB
Sound power at min. speed	N/A
Maximum extraction rate by extraction operation	172 m³/h
Energy efficiency index (2010/30/EC)	84,4 %
Fluid Dynamic Efficiency (2010/30/EC)	5,2
Grease filtering efficiency (2010/30/EC)	67,3 %
Lighting efficiency (2010/30/EC)	14,5
Noise level with boost position	N/A
Power consumption in standby mode (2010/30/EC)	N/A
Power consumption in off-mode - NEW (2010/30/EC)	N/A