

PRODUCT FICHE

gorenje



Gas cooker 728266 GI6331WA

USP :

SilverMatte

Enamel quality and type are exceptionally important for the cooker and its operation. SilverMatte is a highly resistant and strong material that can stand extreme heats. Free from micro pores, it coats oven cavity surfaces and baking trays, making them resistant to the highest temperatures. The coating of the interior supports heat reflection and provides additional insulation. Therefore, the oven interior always stays sterile and safe.

Door type	Triple glazed oven door with one heat deflector (CoolDoor)
GentleClose door hinge	Only a soft touch is needed to close the cooker door smoothly, without any noise.
Closed door grilling	Innovative special construction of the chimney in new Gorenje cookers brings you all the benefits of closed door grilling. Faster, safer and more efficient way to perfectly grilled food, while the knobs and cooker surroundings stay nicely cool.
Oven type	Gas oven - 67 l SuperSize baking area
Maximum oven temperature	275 °C
Heating types	Infra-red heater, Gas thermostat, AquaClean
Product group	Cooker
Knob shape	Ergonomic knobs
Ignition device	One-hand ignition device for hob and oven
Wok burner	Wok double burner
Cast iron grid	The cast iron grids are extremely stable and resistant even to the highest temperatures.
Pan support cross	✓
Protected gas burners	✓
Safety bolt	Mechanic door safety bolt
Guiding of drawer	Classic
AquaClean	✓

Basic information :

Microwave function	No
Product group	Gas cooker
Brand	Gorenje
Commercial code	GI6331WA
Internal article number	728266
EAN code	3838782029394
Main colour of the product	BK070; White
Color / Material front	BK070; White N/A Painted
Construction type	Free-standing
Installation type	Free-standing
Type of control	Electronic
Oven controls	PIETAQ - Gas oven with electric infra-red heater
Cooking method	N/A
Total number of positions that can be used at the same time	4
Number of gas burners	4
Number of electric cooking zones	0
Number of electric plates	0
Number of radiant plates	0
Number of halogenous plates	0
Number of induction plates	0
Number of electric warming zones	0
Location of control panel	Cooker front
Which kind of hobs can be controlled	Gas

Energy input	Combined
Gas type	G20/20 natural gas
Gas connection rating	1130 W
Electric connection rating	1600 W
Current	N/A
Voltage	220-240 V
Frequency	50/60 Hz
Marks of conformity	CE130320,EAC
Length of power supply cord	0 cm
Plug type	Schuko, supply cord 3 x 1.5
Adjustable feet	Yes - all
Height of the product	850 mm
Width of the product	600 mm
Depth of the product	600 mm
Height of the packed product	960 mm
Width of the packed product	676 mm
Depth of the packed product	719 mm
Min height of installation niche	0 mm
Max height of installation niche	0 mm
Min width of installation niche	0 mm
Max width of installation niche	0 mm
Depth of installation niche	0 mm
Net weight	54,0 Kg
Gross weight	59,0 Kg
Material of external sides	Steel

Features :

Electronic timer	Yes
Short description of the product	FG6A2I-APA1B - GI6331WA - ADVANCE
Control panel material	Painted
Oven guides	Two level level pull-out 2D
Grids	1
Temperature control	N/A
Time control	Electronic
Time-setting options	Start and stop
Oven pans	3
Automatic programmes	N/A
Integrated cleaning system	Easy to clean enamel
Location of 1st heating element	Front left
Type of 1st heating element	Spare burner
Dimension of 1st heating element	54 mm
Power of 1st heating element	1000/0,0/0,0 W
Location of 2nd heating element	Rear left
Type of 2nd heating element	Standard burner
Dimension of 2nd heating element	74 mm
Power of 2nd heating element	1900/0,0/0,0 W
Location of 3rd heating element	Rear right
Type of 3rd heating element	Standard burner
Dimension of 3rd heating element	74 mm
Power of 3rd heating element	1900/0,0/0,0 W
Location of 4th heating element	Front right
Type of 4th heating element	Double burner
Dimension of 4th heating element	123 mm
Power of 4th heating element	3500/0,0/0,0 W
Power ON indicator	No
Plate ON indicator	/
Type of lid	Glass
Type of pan support	Cast iron
Type of safety device for gas	Electromagnetic valve
Ignition system	Yes
Residual heat indicator	Without
Main on/off switch	No
Safety device	Door lock Thermo electric oven protection
Timer	Electronic timer with the function of gas-burners switching-OFF
Control panel information	Pictograms, text and LED display
Cavity material	N/A
Oven lighting	Yes
Position of interior lights	Rear
Grill motor with rotisserie set	Yes
Meat probe	N/A
Storage compartment	Pull-out drawer
Additional equipment included	Deep baking pan - 1 Baking tray EM - 1 Gas nozzles G30/30 liquid gas Oven grid - 1 Glass pan - 1

Energy label information / Performance :

Energy efficiency class - NEW (2010/30/EC)	A
The power consumption in off-mode	1,0 W
Energy consumption per cycle conventional (2010/30/ES)	0,16
Energy consumption gas oven per cycle conventional (2010/30/ES)	0,58
Energy consumption per cycle forced air convection (2010/30/ES)	0
Usable volume of cavity (2010/30/ES)	67
Number of cavities - NEW (2010/30/EC)	1
Energy consumption forced air convection	0,58
Energy efficiency index (2010/30/EC)	8,95
Energy consumption conventional (kWh)	0,16 kWh
Energy consumption forced air convection (kWh)	0 kWh
Noise	0 db(A) re 1pW
Product size	Medium