

## PRODUCT FICHE

# gorenje



## Gas cooker 736540 GI6320WA

### USP :

SilverMatte

Enamel quality and type are exceptionally important for the cooker and its operation. SilverMatte is a highly resistant and strong material that can stand extreme heats. Free from micro pores, it coats oven cavity surfaces and baking trays, making them resistant to the highest temperatures. The coating of the interior supports heat reflection and provides additional insulation. Therefore, the oven interior always stays sterile and safe.

Door type	Double glazed oven door with one heat deflector (CompactDoor)
GentleClose door hinge	Only a soft touch is needed to close the cooker door smoothly, without any noise.
Closed door grilling	Innovative special construction of the chimney in new Gorenje cookers brings you all the benefits of closed door grilling. Faster, safer and more efficient way to perfectly grilled food, while the knobs and cooker surroundings stay nicely cool.
Oven type	Gas oven - 64 l SuperSize baking area
Maximum oven temperature	275 °C
Product group	Cooker
Knob shape	Ergonomic knobs
Ignition device	One-hand ignition device for hob and oven
Wok burner	Wok double burner
Cast iron grid	The cast iron grids are extremely stable and resistant even to the highest temperatures.
Pan support cross	
Protected gas burners	

Guiding of drawer	Classic
AquaClean	

### Basic information :

Microwave function	No
Product group	Gas cooker
Brand	GORENJE
Commercial code	GI6320WA
Internal article number	736540
EAN code	3838782432460
Main colour of the product	BK070; White
Color / Material front	BK070; White N/A Painted
Construction type	Free-standing
Installation type	Free-standing
Type of control	Electronic

Oven controls	<b>PITAQ - Gas oven with gas infra-red burner</b>
Cooking method	<b>N/A</b>
Total number of positions that can be used at the same time	<b>4</b>
Number of gas burners	<b>4</b>
Number of electric cooking zones	<b>0</b>
Number of electric plates	<b>0</b>
Number of radiant plates	<b>0</b>
Number of halogenous plates	<b>0</b>
Number of induction plates	<b>0</b>
Number of electric warming zones	<b>0</b>
Location of control panel	<b>Cooker front</b>
Which kind of hobs can be controlled	<b>Gas</b>
Energy input	<b>Combined</b>
Gas type	<b>G20/20 natural gas</b>
Gas connection rating	<b>1130 W</b>
Electric connection rating	<b>30 W</b>
Current	<b>N/A</b>
Voltage	<b>220-240 V</b>
Frequency	<b>50/60 Hz</b>
Marks of conformity	<b>CE130320,EAC</b>
Length of power supply cord	<b>0 cm</b>
Plug type	<b>Schuko, supply cord 3 x 1.5</b>
Adjustable feet	<b>Yes - all</b>
Height of the product	<b>850 mm</b>
Width of the product	<b>600 mm</b>
Depth of the product	<b>600 mm</b>
Height of the packed product	<b>960 mm</b>
Width of the packed product	<b>676 mm</b>
Depth of the packed product	<b>719 mm</b>
Min height of installation niche	<b>0 mm</b>
Max height of installation niche	<b>0 mm</b>
Min width of installation niche	<b>0 mm</b>
Max width of installation niche	<b>0 mm</b>
Depth of installation niche	<b>0 mm</b>
Net weight	<b>53,2 Kg</b>
Gross weight	<b>58,2 Kg</b>
Material of external sides	<b>Steel</b>

## Features :

Electronic timer	<b>Yes</b>
Short description of the product	<b>FG6A11-APA1B - GI6320WA - ADVANCE</b>
Control panel material	<b>Painted</b>
Oven guides	<b>One level level pull-outc 1D</b>
Grids	<b>1</b>
Temperature control	<b>N/A</b>
Time control	<b>Electronic</b>
Time-setting options	<b>Start and stop</b>
Oven pans	<b>2</b>
Automatic programmes	<b>N/A</b>
Integrated cleaning system	<b>Easy to clean enamel</b>
Location of 1st heating element	<b>Front left</b>
Type of 1st heating element	<b>Spare burner</b>
Dimension of 1st heating element	<b>54 mm</b>
Power of 1st heating element	<b>1000/0,0/0,0 W</b>
Location of 2nd heating element	<b>Rear left</b>
Type of 2nd heating element	<b>Standard burner</b>
Dimension of 2nd heating element	<b>74 mm</b>
Power of 2nd heating element	<b>1900/0,0/0,0 W</b>
Location of 3rd heating element	<b>Rear right</b>
Type of 3rd heating element	<b>Standard burner</b>
Dimension of 3rd heating element	<b>74 mm</b>
Power of 3rd heating element	<b>1900/0,0/0,0 W</b>
Location of 4th heating element	<b>Front right</b>
Type of 4th heating element	<b>Double burner</b>
Dimension of 4th heating element	<b>123 mm</b>
Power of 4th heating element	<b>3500/0,0/0,0 W</b>
Plate ON indicator	<b>/</b>
Type of lid	<b>Glass</b>
Type of pan support	<b>Cast iron</b>
Type of safety device for gas	<b>Electromagnetic valve</b>
Ignition system	<b>Yes</b>
Residual heat indicator	<b>Without</b>
Main on/off switch	<b>No</b>
Safety device	
Timer	<b>Electronic timer with the function of gas-burners switching-OFF</b>
Control panel information	<b>Pictograms, text and LED display</b>
Cavity material	<b>N/A</b>
Oven lighting	<b>Yes</b>
Position of interior lights	<b>Rear</b>

Grill motor with rotisserie set	Yes
Meat probe	N/A
Storage compartment	Pull-out drawer
Additional equipment included	Deep baking pan - 1 Baking tray EM - 1 Gas nozzles G30/30 liquid gas Gas nozzles G20/13 natural gas Oven grid - 1

### Energy label information / Performance :

Energy efficiency class - NEW (2010/30/EC)	A
The power consumption in off-mode	1,0 W
Energy consumption per cycle conventional (2010/30/ES)	1,64
Energy consumption gas oven per cycle conventional (2010/30/ES)	5,92
Energy consumption per cycle forced air convection (2010/30/ES)	0,0
Usable volume of cavity (2010/30/ES)	64
Number of cavities - NEW (2010/30/EC)	1
Energy consumption forced air convection	5,92
Energy efficiency index (2010/30/EC)	93,2
Energy consumption conventional (kWh)	1,64 kWh
Energy consumption forced air convection (kWh)	0,0 kWh
Noise	0 db(A) re 1pW
Product size	Medium